




# **ASSEMBLY INSTRUCTIONS**

**CLAYTON  
ARMCHAIR**




**Clayton Chair**

Please follow these instructions carefully in order to ensure your new sofa is assembled in the correct manner.

Please do not use a sharp implement when unpacking your furniture as this may damage the leather.


Please note that any creases in the leather are as a result of the packaging and are perfectly normal. These will diminish over the first few weeks of use at room temperature.

**STEP 1**




Remove the arm cushion from the packaging.

**STEP 2**




Remove the back section from the packaging.

**STEP 3**




Remove the protective backing cloth from the Velcro strips, position the arms using the Velcro to secure in place and to fasten with a zipper as shown.

**STEP 4**




Ensure the connecting clips are aligned and then (with a person at each end) lower the back section into the base applying firm pressure until you hear a 'click' and the back is secure.





**STEP 5**



## Sofa Back Fitting Method



When fitting the sofa back ensure the connecting clips are aligned and then (with a person at each end) lower the back frame section into the base applying firm pressure until you hear a “click” and make sure the back is fixed.




Note: The sofa back can not be fitted by one person or by one side at a time - the entire sofa back must be fitted together.



# **ASSEMBLY INSTRUCTIONS**

**CLAYTON  
2 SEATER SOFA**




**Clayton Sofa**

Please follow these instructions carefully in order to ensure your new sofa is assembled in the correct manner.

Please do not use a sharp implement when unpacking your furniture as this may damage the leather.


Please note that any creases in the leather are as a result of the packaging and are perfectly normal. These will diminish over the first few weeks of use at room temperature.

**STEP 1**




Remove the arm cushion from the packaging.

**STEP 2**




Remove the back section from the packaging.

**STEP 3**




Remove the protective backing cloth from the Velcro strips, position the arms using the Velcro to secure in place and to fasten with a zipper as shown.

**STEP 4**




Ensure the connecting clips are aligned and then (with a person at each end) lower the back section into the base applying firm pressure until you hear a 'click' and the back is secure.





**STEP 5**



## Sofa Back Fitting Method



When fitting the sofa back ensure the connecting clips are aligned and then (with a person at each end) lower the back frame section into the base applying firm pressure until you hear a “click” and make sure the back is fixed.




Note: The sofa back can not be fitted by one person or by one side at a time - the entire sofa back must be fitted together.



# **ASSEMBLY INSTRUCTIONS**

**CLAYTON  
3 SEATER SOFA**




**Clayton Sofa**

Please follow these instructions carefully in order to ensure your new sofa is assembled in the correct manner.

Please do not use a sharp implement when unpacking your furniture as this may damage the leather.

Please note that any creases in the leather are as a result of the packaging and are perfectly normal. These will diminish over the first few weeks of use at room temperature.

**STEP 1**




Remove the arm cushion from the packaging.

**STEP 2**




Remove the back section from the packaging.

**STEP 3**




Remove the protective backing cloth from the Velcro strips, position the arms using the Velcro to secure in place and to fasten with a zipper as shown.

**STEP 4**




Ensure the connecting clips are aligned and then (with a person at each end) lower the back section into the base applying firm pressure until you hear a 'click' and the back is secure.

**STEP 5**









## Sofa Back Fitting Method



When fitting the sofa back ensure the connecting clips are aligned and then (with a person at each end) lower the back frame section into the base applying firm pressure until you hear a “click” and make sure the back is fixed.



Note: The sofa back can not be fitted by one person or by one side at a time - the entire sofa back must be fitted together.